


| CN-1 PinOut | | CN-2 PinOut | |
|-------------|--------|-------------|--------|
| 1 | NC | 1 | NC |
| 2 | NC | 2 | NC |
| 3 | NC | 3 | NC |
| 4 | NC | 4 | NC |
| 5 | NC | 5 | NC |
| 6 | NC | 6 | NC |
| 7 | NC | 7 | NC |
| 8 | NC | 8 | NC |
| 9 | NC | 9 | NC |
| 10 | NC | 10 | NC |
| 11 | NC | 11 | NC |
| 12 | NC | 12 | NC |
| 13 | NC | 13 | NC |
| 14 | NC | 14 | NC |
| 15 | NC | 15 | NC |
| 16 | NC | 16 | NC |
| 17 | NC | 17 | NC |
| 18 | NC | 18 | NC |
| 19 | Shield | 19 | NC |
| 20 | Y00 | 20 | NC |
| 21 | Y01 | 21 | NC |
| 22 | Y02 | 22 | NC |
| 23 | Y03 | 23 | Shield |
| 24 | Y04 | 24 | X00 |
| 25 | Y05 | 25 | X01 |
| 26 | Y06 | 26 | X02 |
| 27 | Y07 | 27 | X03 |
| 28 | Y08 | 28 | X04 |
| 29 | Y09 | 29 | X05 |
| 30 | Y10 | 30 | X06 |
| 31 | Y11 | 31 | X07 |
| 32 | Y12 | 32 | X08 |
| 33 | Y13 | 33 | X09 |
| 34 | Y14 | 34 | X10 |
| 35 | Y15 | 35 | X11 |
| 36 | Y16 | 36 | X12 |
| 37 | Y17 | 37 | X13 |
| 38 | Y18 | 38 | X14 |
| 39 | Y19 | 39 | X15 |
| 40 | Y20 | 40 | X16 |
| 41 | Y21 | 41 | X17 |
| 42 | Shield | 42 | X18 |
| | | 43 | X19 |
| | | 44 | X20 |
| | | 45 | X21 |
| | | 46 | X22 |
| | | 47 | X23 |
| | | 48 | X24 |
| | | 49 | X25 |
| | | 50 | X26 |
| | | 51 | X27 |
| | | 52 | X28 |
| | | 53 | Shield |
| | | 54 | NC |

| REMARKS | | |
|-----------------------|----|-----------|
| FPC PATTERN PITCH | | 0.5mm |
| FPC PATTERN WIDTH | Cu | 0.2-0.3mm |
| | - | mm |
| CIRCUIT PATTERN WIDTH | Ag | 0.075mm |
| | - | mm |
| O TOLERANCE=±0.3mm | | |

| ITEM | MATERIAL | REMARKS |
|------|--------------------|---|
| 1 | TOP ITO GLASS | t=1.1mm |
| 2 | BOTTOM ITO GLASS | t=1.1mm |
| 3 | FPC | POLYIMIDE 12.5μm Electrolytic copper foil GILDING |
| 4 | REINFORCEMENT FILM | POLYIMIDE 25μm |
| 5 | STIFFENER | POLYIMIDE 225μm |
| 6 | ADHESIVE SHEET | 150μm |
| 7 | PROTECTION TAPE | POLYESTER 25μm |

| PART No. | DATE |
|--|---------------|
| DFS-084A060A-E | Jan/28/2022 |
| TYPE | DMC Co., Ltd. |
| Projected Capacitive DIMENSIONAL DRAWING | |



TOLERANCE=±0.3mm
EXCEPT WHERE INDICATED
UNIT=mm