




CN-1 PinOut		CN-2 PinOut	
1	NC	1	NC
2	NC	2	NC
3	NC	3	NC
4	NC	4	NC
5	NC	5	NC
6	NC	6	NC
7	NC	7	NC
8	NC	8	NC
9	NC	9	NC
10	Shield	10	NC
11	Y00	11	Shield
12	Y01	12	X00
13	Y02	13	X01
14	Y03	14	X02
15	Y04	15	X03
16	Y05	16	X04
17	Y06	17	X05
18	Y07	18	X06
19	Y08	19	X07
20	Y09	20	X08
21	Y10	21	X09
22	Y11	22	X10
23	Y12	23	X11
24	Y13	24	X12
25	Y14	25	X13
26	Y15	26	X14
27	Y16	27	X15
28	Y17	28	X16
29	Y18	29	X17
30	Y19	30	X18
31	Y20	31	X19
32	Y21	32	X20
33	Y22	33	X21
34	Y23	34	X22
35	Y24	35	X23
36	Y25	36	X24
37	Y26	37	X25
38	Y27	38	X26
39	Y28	39	X27
40	Y29	40	X28
41	Y30	41	X29
42	Shield	42	X30
		43	X31
		44	X32
		45	X33
		46	X34
		47	X35
		48	X36
		49	X37
		50	X38
		51	X39
		52	X40
		53	Shield
		54	NC



REMARKS	
FPC PATTERN PITCH	0.5mm
FPC PATTERN WIDTH	Cu - mm
CIRCUIT PATTERN WIDTH	Ag - mm
O TOLERANCE=±0.3mm	

ITEM	MATERIAL	REMARKS
1	TOP ITO GLASS t=1.1mm	
2	BOTTOM ITO GLASS t=1.1mm	
3	FPC	POLYIMIDE 12.5μm Electrolytic copper foil GLDING
4	REINFORCEMENT FILM	POLYIMIDE 25μm
5	STIFFENER	POLYIMIDE 225μm
6	ADHESIVE SHEET	150μm
7	PROTECTION TAPE	POLYESTER 25μm



TOLERANCE=±0.3mm
EXCEPT WHERE INDICATED
UNIT=mm

PART No.	DATE
DFS-121A060A-E	Jan/17/2022
TYPE	DMC Co., Ltd.
Projected Capacitive DIMENSIONAL DRAWING	