



CN-1 PinOut		CN-2 PinOut	
1	NC	1	NC
2	NC	2	NC
3	NC	3	NC
4	NC	4	NC
5	NC	5	NC
6	NC	6	NC
7	NC	7	NC
8	NC	8	Shield
9	NC	9	X00
10	NC	10	X01
11	NC	11	X02
12	NC	12	X03
13	Shield	13	X04
14	Y00	14	X05
15	Y01	15	X06
16	Y02	16	X07
17	Y03	17	X08
18	Y04	18	X09
19	Y05	19	X10
20	Y06	20	X11
21	Y07	21	X12
22	Y08	22	X13
23	Y09	23	X14
24	Y10	24	X15
25	Y11	25	X16
26	Y12	26	X17
27	Y13	27	X18
28	Y14	28	X19
29	Y15	29	X20
30	Y16	30	X21
31	Y17	31	X22
32	Y18	32	X23
33	Y19	33	X24
34	Y20	34	X25
35	Y21	35	X26
36	Y22	36	X27
37	Y23	37	X28
38	Y24	38	X29
39	Y25	39	X30
40	Y26	40	X31
41	Y27	41	X32
42	Shield	42	X33
		43	X34
		44	X35
		45	X36
		46	X37
		47	X38
		48	X39
		49	X40
		50	X41
		51	X42
		52	X43
		53	Shield
		54	NC



REMARKS		
FPC PATTERN PITCH		0.5mm
FPC PATTERN WIDTH	Cu	0.2-0.3mm
	-	mm
CIRCUIT PATTERN WIDTH	Ag	0.1mm
	-	mm
○ TOLERANCE=±0.3mm		

ITEM	MATERIAL	REMARKS
1	TOP ITO GLASS	t=1.1mm
2	BOTTOM ITO GLASS	t=1.1mm
3	FPC	POLYIMIDE 12.5μm Electrolytic copper foil GILDING
4	REINFORCEMENT FILM	POLYIMIDE 25μm
5	STIFFENER	POLYIMIDE 225μm
6	ADHESIVE SHEET	150μm
7	PROTECTION TAPE	POLYESTER 25μm



TOLERANCE=±0.3mm
EXCEPT WHERE INDICATED
UNIT=mm

PART No.	DATE
DFS-121WA060A-E	Jan/28/2022
TYPE	DMC Co., Ltd.
Projected Capacitive DIMENSIONAL DRAWING	