


CN-1 PinOut		CN-2 PinOut	
1	Dummy	1	NC
2	Y14	2	NC
3	Y13	3	NC
4	Y12	4	NC
5	Y11	5	NC
6	Y10	6	NC
7	Y09	7	NC
8	Y08	8	NC
9	Y07	9	NC
10	Y06	10	NC
11	Y05	11	NC
12	Y04	12	NC
13	Y03	13	NC
14	Y02	14	NC
15	Y01	15	NC
16	Y00	16	NC
17	Dummy	17	NC
18	NC	18	NC
19	NC	19	Dummy
20	NC	20	X19
21	NC	21	X18
22	NC	22	X17
23	NC	23	X16
24	NC	24	X15
25	NC	25	X14
26	NC	26	X13
27	NC	27	X12
28	NC	28	X11
29	NC	29	X10
30	NC	30	X09
31	NC	31	X08
32	NC	32	X07
33	NC	33	X06
34	NC	34	X05
35	NC	35	X04
36	NC	36	X03
37	NC	37	X02
38	NC	38	X01
39	NC	39	X00
40	NC	40	Dummy

REMARKS		
FPC PATTERN PITCH		0.5mm
FPC PATTERN WIDTH	Cu	0.2-0.3mm
	-	mm
CIRCUIT PATTERN WIDTH	Ag	0.03mm
	-	mm
○ TOLERANCE=±0.3mm		

ITEM	MATERIAL	REMARKS
1 TOP ITO GLASS	t=1.1mm	
2 BOTTOM ITO GLASS	t=1.1mm	
3 FPC	POLYIMIDE 12.5μm	Electrolytic copper foil GILDING
4 REINFORCEMENT FILM	POLYIMIDE 25μm	
5 STIFFENER	POLYIMIDE 225μm	
6 ADHESIVE SHEET	150μm	
7 PROTECTION TAPE	POLYESTER 25μm	



TOLERANCE=±0.3mm
 EXCEPT WHERE INDICATED
 UNIT=mm

PART No.		DATE	
DUS-N057A060A		Mar/23/23	
TYPE		DMC Co., Ltd.	
Projected Capacitive DIMENSIONAL DRAWING			